



- NOTES:**
1. ALL DIMENSIONS ARE IN MILLIMETRES (mm) UNLESS OTHER NOTED
  2. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL ENGINEERS AND ARCHITECT'S DRAWINGS. FIGURED DIMENSIONS ONLY (NOT SCALING) TO BE USED. WHERE A CONFLICT OF INFORMATION EXISTS OR IF IN ANY DOUBT.
  3. HYDROBRAKES TO BE LOCATED ON THE DOWNSTREAM OF THE ATTENUATION TANKS.
  4. REFER TO STORMWATER DRAWING W3683-DR-1014 FOR SPECIFIC HYDROBRAKE DETAILS.
  5. INSPECT HYDROBRAKE SILT TRAP REGULARLY FOR SILT ACCUMULATION, AND ESTABLISH APPROPRIATE SILT REMOVAL FREQUENCY OF MINIMUM SIX MONTHLY INTERVAL OR AS REQUIRED.

Rev	Date	Description	By	Chk	App
00	20/07/22	ISSUE FOR INFORMATION		LT	RT AG

**BYRNE LOOBY**  
WWW.BYRNELOOBY.COM  
IRELAND | UK | UAE | SAUDI ARABIA | KSA

CLIENT  
GEDV MONKSTOWN OWNER LIMITED

PROJECT  
RESIDENTIAL DEVELOPMENT ON LANDS OF DALGUISE HOUSE

DRAWING TITLE  
STANDARD DETAIL  
PENSTOCK-HYDROBRAKE MANHOLE

STATUS  
FOR INFORMATION

Date	Scale	AS SHOWN	Drawn: LT	Chk: RT	App: AG
20/07/22					
Project No:	W3683	Drg. No:	W3683-DR-1023	Rev:	00